

SAFETY DATA SHEET

1. Identification

Product identifier	Mini Canna Lab
Other means of identification	Not available.
Recommended use	Cannabinoid testing
Recommended restrictions	None known.
Manufacturer information	Mini Canna Lab 5305 River Rd. N, Ste B Keizer, OR 97303 US Email: info@minicannalab.com Website: minicannalab.com Phone: 971-231-9333 Emergency Phone: Not available
Supplier	See above.

2. Hazard identification

Physical hazards	Flammable liquids	Category 2
Health hazards	Acute toxicity, oral	Category 4
	Acute toxicity, inhalation	Category 3
	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2
	Carcinogenicity	Category 1B
	Reproductive toxicity	Category 2
	Specific target organ toxicity, single exposure	Category 3 respiratory tract irritation
	Specific target organ toxicity, repeated exposure	Category 1
Environmental hazards	Not classified.	
WHMIS 2015 defined hazards	Not classified	
Label elements		



Signal word	Danger
Hazard statement	Highly flammable liquid and vapor. Harmful if swallowed. Toxic if inhaled. Causes skin irritation. Causes serious eye irritation. May cause cancer. Suspected of damaging fertility or the unborn child. May cause respiratory irritation. Causes damage to organs through prolonged or repeated exposure.

Precautionary statement

Prevention

Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Keep container tightly closed. Ground and bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use non-sparking tools. Take action to prevent static discharges.
Do not breathe mist or vapor.
Use only outdoors or in a well-ventilated area.
Do not eat, drink or smoke when using this product.
Wash thoroughly after handling.
Wear protective gloves, protective clothing, eye protection and face protection.

Response	In case of fire: Use dry sand, dry chemical, or alcohol resistant foam to extinguish. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. If skin irritation occurs: Get medical attention. Take off contaminated clothing and wash it before reuse. Specific treatment (see information on this label). IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER if you feel unwell. IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell. Rinse mouth.
Storage	Store in a well-ventilated place. Keep container tightly closed. Store locked up. Keep cool.
Disposal	Dispose of container in accordance with local, regional, national and international regulations.
WHMIS 2015: Health Hazard(s) not otherwise classified (HHNOC)	None known
WHMIS 2015: Physical Hazard(s) not otherwise classified (PHNOC)	None known
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	Exempt - Consumer product

This product is not subject to the Hazardous Products Act (HPA) Part II (Hazardous Products) as per paragraph 12(j); Schedule 1 (Non-Application of Part II). This restriction states that Part II does not apply in respect of the sale or importation of anything listed in Schedule 1 which includes any cosmetic, device, drug or food, as defined in section 2 of the Food and Drugs Act, or any consumer product as defined in section 2 of the Canada Consumer Product Safety Act. This product is not subject to 29 CFR HCS 1910.1200 regulations. The following HCS exemptions for consumer products apply; 29 CFR 1910.1200(b)(5)(v) and (b)(6)(ix).

3. Composition/Information on ingredients

Mixture

Chemical name	Common name and synonyms	CAS number	%
Ethylene dichloride		107-06-2	10 - 30 *
Methane, trichloro-		67-66-3	60 - 80 *

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments	*CANADA GHS: The exact percentage (concentration) of composition has been withheld as a trade secret. US GHS: The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.
-----------------------------	--

4. First-aid measures

Inhalation	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor if you feel unwell.
Skin contact	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. If skin irritation occurs: Get medical attention. Take off contaminated clothing and wash it before reuse.
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.
Ingestion	IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell. Rinse mouth.
Most important symptoms/effects, acute and delayed	Causes serious eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause respiratory irritation. Headache. Nausea, vomiting. Prolonged exposure may cause chronic effects.
Indication of immediate medical attention and special treatment needed	Symptoms may be delayed.
General information	If you feel unwell, seek medical advice (show the label where possible). Show this safety data sheet to the doctor in attendance. Take off all contaminated clothing immediately. Wash contaminated clothing before reuse. Avoid contact with eyes and skin. Keep out of reach of children.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide.
-------------------------------------	---

Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	Vapors may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire-fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	Highly flammable liquid and vapor.
Hazardous combustion products	May include and are not limited to: Oxides of carbon. Hydrogen chloride.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Take precautionary measures against static discharge. Use only non-sparking tools. Stop the flow of material, if this is without risk. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water. Clean surface thoroughly to remove residual contamination. For waste disposal, see section 13 of the SDS. Prevent entry into waterways, sewer, basements or confined areas.
Environmental precautions	Do not discharge into lakes, streams, ponds or public waters.

7. Handling and storage

Precautions for safe handling	Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Explosion-proof general and local exhaust ventilation. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Avoid contact with eyes, skin, and clothing. Wear appropriate personal protective equipment. Use only outdoors or in a well-ventilated area. Avoid prolonged exposure. Pregnant or breastfeeding women must not handle this product. Do not taste or swallow. Observe good industrial hygiene practices. Wash thoroughly after handling. When using, do not eat, drink or smoke.
Conditions for safe storage, including any incompatibilities	Keep away from heat, sparks and open flame. Store in a cool, dry place out of direct sunlight. Store in a well-ventilated place. Store locked up. Store away from incompatible materials (see Section 10 of the SDS). Keep out of reach of children.

8. Exposure controls/Personal protection

Occupational exposure limits

Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)

Components	Type	Value
Ethylene dichloride (CAS 107-06-2)	TWA	40 mg/m3
		10 ppm
Methane, trichloro- (CAS 67-66-3)	TWA	49 mg/m3
		10 ppm

Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

Components	Type	Value
Ethylene dichloride (CAS 107-06-2)	STEL	2 ppm
	TWA	1 ppm
Methane, trichloro- (CAS 67-66-3)	TWA	2 ppm

Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)

Components	Type	Value
Ethylene dichloride (CAS 107-06-2)	TWA	10 ppm

Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)

Components	Type	Value
Methane, trichloro- (CAS 67-66-3)	TWA	10 ppm

Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

Components	Type	Value
Ethylene dichloride (CAS 107-06-2)	TWA	10 ppm
Methane, trichloro- (CAS 67-66-3)	TWA	10 ppm

Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety)

Components	Type	Value
Ethylene dichloride (CAS 107-06-2)	STEL	8 mg/m3
		2 ppm
	TWA	4 mg/m3 1 ppm
Methane, trichloro- (CAS 67-66-3)	TWA	24.4 mg/m3 5 ppm

Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21)

Components	Type	Value
Ethylene dichloride (CAS 107-06-2)	15 minute	20 ppm
	8 hour	10 ppm

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
Methane, trichloro- (CAS 67-66-3)	Ceiling	240 mg/m3
		50 ppm

US. OSHA Table Z-2 (29 CFR 1910.1000)

Components	Type	Value
Ethylene dichloride (CAS 107-06-2)	Ceiling	100 ppm
	TWA	50 ppm

US. ACGIH Threshold Limit Values

Components	Type	Value
Ethylene dichloride (CAS 107-06-2)	TWA	10 ppm
Methane, trichloro- (CAS 67-66-3)	TWA	10 ppm

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
Ethylene dichloride (CAS 107-06-2)	STEL	8 mg/m3
		2 ppm
	TWA	4 mg/m3 1 ppm
Methane, trichloro- (CAS 67-66-3)	STEL	9.78 mg/m3 2 ppm

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Ensure adequate ventilation.

Individual protection measures, such as personal protective equipment**Eye/face protection**

Wear safety glasses with side shields.

Skin protection**Hand protection**

Wear appropriate chemical resistant gloves. Confirm with a reputable supplier first.

Other	As required by employer code.
Respiratory protection	Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134), CAN/CSA-Z94.4 and ANSI's standard for respiratory protection (Z88.2).
Thermal hazards	Not applicable.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and immediately after handling the product. When using, do not eat, drink or smoke.

9. Physical and chemical properties

Appearance	Transparent
Physical state	Liquid.
Form	Liquid.
Color	Not available.
Odor	Sweet
Odor threshold	Not available.
pH	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Pour point	Not available.
Specific gravity	Not available.
Partition coefficient (n-octanol/water)	Not available.
Flash point	48°F
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.

10. Stability and reactivity

Reactivity	This product may react with strong oxidizing agents.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Chemical stability	Material is stable under normal conditions.
Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Do not mix with other chemicals.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	May include and are not limited to: Oxides of carbon. Hydrogen chloride.

11. Toxicological information

Routes of exposure Eye, Skin contact, Inhalation, Ingestion.

Information on likely routes of exposure

Ingestion Harmful if swallowed.

Inhalation Toxic if inhaled.

Skin contact Causes skin irritation.

Eye contact Causes serious eye irritation.

Symptoms related to the physical, chemical and toxicological characteristics Causes serious eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

Skin irritation. May cause redness and pain.

May cause respiratory irritation. Headache. Dizziness. Nausea, vomiting.

Information on toxicological effects

Acute toxicity Toxic if inhaled. Harmful if swallowed.

Components	Species	Test Results
------------	---------	--------------

Ethylene dichloride (CAS 107-06-2)

Acute

Dermal

LD50	Rabbit	4890 mg/kg, Sigma Aldrich 2800 mg/kg, Thermo Fisher
------	--------	--

Inhalation

LC50	Rat	7758 mg/m ³ , 4 Hours, ECHA 3000 ppm, 165 Minutes, HSDB 1886 ppm, 4 Hours, ECHA 7.8 mg/L, Thermo Fisher
------	-----	---

Oral

LD50	Mouse	> 600 mg/kg, ECHA
	Rabbit	670 mg/kg, HSDB
	Rat	967 mg/kg, ECHA 770 mg/kg, Sigma Aldrich

Methane, trichloro- (CAS 67-66-3)

Acute

Dermal

LD50	Rat	> 3980 mg/kg, 24 hr, Sigma Aldrich
------	-----	------------------------------------

Inhalation

LC50	Rat	47702 mg/m ³ , HSDB
------	-----	--------------------------------

Oral

LD50	Dog	2250 mg/kg, HSDB
	Mouse	118 mg/kg, HSDB
	Rabbit	9827 mg/kg, HSDB
	Rat	2180 mg/kg, HSDB 1117 mg/kg, HSDB 908 mg/kg, HSDB 444 mg/kg, HSDB

Skin corrosion/irritation Causes skin irritation.

Exposure minutes Not available.

Erythema value Not available.

Oedema value Not available.

Serious eye damage/eye irritation Causes serious eye irritation.

Corneal opacity value Not available.

Iris lesion value Not available.

Conjunctival reddening value Not available.

Conjunctival oedema value	Not available.
Recover days	Not available.
Respiratory or skin sensitization	
Respiratory sensitization	Not a respiratory sensitizer.
Skin sensitization	This product is not expected to cause skin sensitization.
Mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity	See below.
ACGIH Carcinogens	
Methane, trichloro- (CAS 67-66-3)	A3 Confirmed animal carcinogen with unknown relevance to humans.
California Proposition 65 - CRT: Listed date/Carcinogenic substance	
Ethylene dichloride (CAS 107-06-2)	
Methane, trichloro- (CAS 67-66-3)	
Canada - Manitoba OELs: carcinogenicity	
Methane, trichloro- (CAS 67-66-3)	Confirmed animal carcinogen with unknown relevance to humans.
Canada - Quebec OELs: Carcinogen category	
Ethylene dichloride (CAS 107-06-2)	Suspected carcinogenic effect in humans.
Methane, trichloro- (CAS 67-66-3)	Suspected carcinogenic effect in humans.
IARC Monographs. Overall Evaluation of Carcinogenicity	
Ethylene dichloride (CAS 107-06-2)	Volume 20, Supplement 7, Volume 71 - 2B Possibly carcinogenic to humans.
Methane, trichloro- (CAS 67-66-3)	Volume 73 - 2B Possibly carcinogenic to humans.
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)	
Not listed.	
US NTP Report on Carcinogens: Anticipated carcinogen	
Ethylene dichloride (CAS 107-06-2)	Reasonably Anticipated to be a Human Carcinogen.
Methane, trichloro- (CAS 67-66-3)	Reasonably Anticipated to be a Human Carcinogen.
Reproductive toxicity	Suspected of damaging fertility or the unborn child.
Teratogenicity	Not available.
Specific target organ toxicity - single exposure	May cause respiratory irritation.
Specific target organ toxicity - repeated exposure	Causes damage to organs through prolonged or repeated exposure.
Aspiration hazard	Not an aspiration hazard.
Chronic effects	Causes damage to organs through prolonged or repeated exposure. Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity See below

Ecotoxicological data

Components	Species	Test Results
Ethylene dichloride (CAS 107-06-2)		
Crustacea	EC50 Daphnia	165 mg/L, 48 Hours
Aquatic		
Crustacea	EC50 Water flea (Daphnia magna)	140 - 190 mg/L, 48 hours
Fish	LC50 Fathead minnow (Pimephales promelas)	110 - 123 mg/L, 96 hours
Methane, trichloro- (CAS 67-66-3)		
Crustacea	EC50 Daphnia	29 mg/L, 48 Hours
Aquatic		
Fish	LC50 Bluegill (Lepomis macrochirus)	13.3 - 20.8 mg/L, 96 hours

Persistence and degradability No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential

Mobility in soil No data available.

Mobility in general Not available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions	Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

Transport of Dangerous Goods (TDG) Proof of Classification Classification Method: Classified as per Part 2, Sections 2.1 – 2.8 of the Transportation of Dangerous Goods Regulations. If applicable, the technical name and the classification of the product will appear below.

U.S. Department of Transportation (DOT)

Basic shipping requirements:

UN number	UN1992
Proper shipping name	Flammable liquids, toxic, n.o.s.
Technical name	Ethylene dichloride
Hazard class	3
Subsidiary hazard class	6.1
Packing group	II
Marine pollutant	Yes
Special provisions	IB2, T7, TP2, TP13
Packaging exceptions	Limited Quantity 1L

Transportation of Dangerous Goods (TDG - Canada)


Basic shipping requirements:

UN number	UN1992
Proper shipping name	FLAMMABLE LIQUID, TOXIC, N.O.S.
Technical name	Ethylene dichloride
Hazard class	3
Subsidiary hazard class	6.1
Packing group	II
Special provisions	16
Packaging exceptions	Limited Quantity 1L

DOT



TDG



15. Regulatory information

Canadian federal regulations Exempt- consumer product This product is not subject to the Hazardous Products Act (HPA) Part II (Hazardous Products) as per paragraph 12(j); Schedule 1 (Non-Application of Part II). This restriction states that Part II does not apply in respect of the sale or importation of anything listed in Schedule 1 which includes any cosmetic, device, drug or food, as defined in section 2 of the Food and Drugs Act, or any consumer product as defined in section 2 of the Canada Consumer Product Safety Act.

Canada CEPA Schedule I: Listed substance

Ethylene dichloride (CAS 107-06-2) Listed.

Canada NPRI VOCs with Additional Reporting Requirements: Mass reporting threshold/Identification Number

Ethylene dichloride (CAS 107-06-2) 1 TONNES

Canada Priority Substances List (Second List): Listed substance

Methane, trichloro- (CAS 67-66-3) Listed.

Export Control List (CEPA 1999, Schedule 3)

Ethylene dichloride (CAS 107-06-2) Substance subject to notification or consent.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

WHMIS 2015 Exemptions Exempt

US federal regulations This product is not regulated under OSHA Hazard Communication Standard (HCS) 29 CFR 1910.1200 as per exemption (b)(5)(v) & (b)(6)(ix).

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Ethylene dichloride (CAS 107-06-2) 0.1 % One-Time Export Notification only.

CERCLA Hazardous Substance List (40 CFR 302.4)

Ethylene dichloride (CAS 107-06-2) Listed.

Methane, trichloro- (CAS 67-66-3) Listed.

SARA 304 Emergency release notification

Methane, trichloro- (CAS 67-66-3) 10 LBS

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance No

SARA 311/312 Hazardous chemical Yes

Classified hazard categories Flammable (gases, aerosols, liquids, or solids)
Acute toxicity (any route of exposure)
Skin corrosion or irritation
Serious eye damage or eye irritation
Carcinogenicity
Reproductive toxicity
Specific target organ toxicity (single or repeated exposure)

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
Ethylene dichloride	107-06-2	10 - 30 *
Methane, trichloro-	67-66-3	60 - 80 *

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Ethylene dichloride (CAS 107-06-2)

Methane, trichloro- (CAS 67-66-3)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Methane, trichloro- (CAS 67-66-3)

US state regulations See below

US - California Hazardous Substances (Director's): Listed substance

Ethylene dichloride (CAS 107-06-2) Listed.

Methane, trichloro- (CAS 67-66-3) Listed.

US - Illinois Chemical Safety Act: Listed substance

Ethylene dichloride (CAS 107-06-2)

Methane, trichloro- (CAS 67-66-3)

US - Louisiana Spill Reporting: Listed substance

Ethylene dichloride (CAS 107-06-2) Listed.

Methane, trichloro- (CAS 67-66-3) Listed.

US - Michigan Critical Materials Register: Parameter number

Ethylene dichloride (CAS 107-06-2)

Methane, trichloro- (CAS 67-66-3)

US - Minnesota Haz Subs: Listed substance

Ethylene dichloride (CAS 107-06-2) Listed.

Methane, trichloro- (CAS 67-66-3) Listed.

US - North Carolina Toxic Air Pollutants: Listed substance

Ethylene dichloride (CAS 107-06-2)

Methane, trichloro- (CAS 67-66-3)

US - Texas Effects Screening Levels: Listed substance

Ethylene dichloride (CAS 107-06-2) Listed.

Methane, trichloro- (CAS 67-66-3) Listed.

US. Massachusetts RTK - Substance List

Ethylene dichloride (CAS 107-06-2)

Methane, trichloro- (CAS 67-66-3)

US. New Jersey Worker and Community Right-to-Know Act

Ethylene dichloride (CAS 107-06-2)

Methane, trichloro- (CAS 67-66-3)

US. Pennsylvania Worker and Community Right-to-Know Law

Ethylene dichloride (CAS 107-06-2)

Methane, trichloro- (CAS 67-66-3)

US. Rhode Island RTK

Ethylene dichloride (CAS 107-06-2)

Methane, trichloro- (CAS 67-66-3)

US. California Proposition 65



WARNING: This product can expose you to chemicals including ethylene dichloride, which is known to the State of California to cause cancer, and chloroform, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

California Proposition 65 - CRT: Listed date/Carcinogenic substance

Ethylene dichloride (CAS 107-06-2) Listed: October 1, 1987

Methane, trichloro- (CAS 67-66-3) Listed: October 1, 1987

California Proposition 65 - CRT: Listed date/Developmental toxin

Methane, trichloro- (CAS 67-66-3) Listed: August 7, 2009

Inventory status


Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other information

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

HEALTH	* 2
FLAMMABILITY	3
PHYSICAL HAZARD	0
PERSONAL PROTECTION	X



Disclaimer

Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Issue date

28-January-2020

Version #

01

Effective date

28-January-2020

Prepared by

Dell Tech www.delltech.com Phone: 519-858-5021

Other information

For an updated SDS, please contact the supplier/manufacturer listed on the first page of the document.